

Seaborn - 1 feature

<code>_, axes = plt.subplots(nrows=1, ncols=2, figsize=(12, 4))</code> <code>axis[0] = sns.xxx</code>	put a sns plot in a pyplot figure
<code>sns.distplot(df['feat']);</code>	histogram + density of a numeric feature's repartition
<code>sns.boxplot(data=df['feat']);</code>	simple boxplot
<code>sns.violinplot(data=df['feat']);</code>	simple violin plot
<code>sns.countplot(x='feat', data=df);</code>	repartition of a categorical feature

Seaborn - 2 features

Dimensionality reduction - t-SNE

```
from sklearn.manifold import TSNE
from sklearn.preprocessing import StandardScaler

# Standardize data
scaler = StandardScaler()
tab_scaled = scaler.fit_transform(tab)

# Run t-SNE
tsne = TSNE(random_state=17)
tsne_repr = tsne.fit_transform(tab_scaled)

# Show results
plt.scatter(tsne_repr[:, 0], tsne_repr[:, 1], c=df['cat'])
```

Plotly

```
from plotly.offline import download_plotlyjs, init_notebook_mode, iplot
import plotly
import plotly.graph_objs as go

trace0 = go.Scatter(x=feat1, y=feat2, name='Scatter')
data = [trace0, trace1, ...]
layout = {'title': title, ...}
fig = go.Figure(data=data, layout=layout)
iplot(fig, show_link=False)

trace = go.Bar(x=feat1, y=feat2, name='Bar')
trace = go.Box(y=feat, name='Box')

plotly.offline.plot(
    fig,
    filename='file.html',
    show_link=False)
```

<code>sns.heatmap(matrix)</code>	heatmap
<code>sns.jointplot(x=feat1, y=feat2, data=df, kind=['scatter', 'kde'])</code>	joint plot
<code>sns.pairplot(df[features])</code>	scatterplots matrix
<code>sns.boxplot(x=feat1, y=feat2, data=df, ax=ax)</code>	boxplot for disjoint groups (x categorical)
<code>sns.violinplot(x=feat1, y=feat2, data=df, ax=ax)</code>	violin plot for disjoint groups
<code>sns.countplot(x='feat1', hue='feat2', data=df)</code>	repartition of a categorical feature according to another one
<code>sns.lmplot(feat1, feat2, data=df, hue=feat3, fit_reg=False)</code>	scatterplot with color according to category
<code>sns.factorplot(x=cat1, y=numeric, col=cat2, data=df, kind="box", col_wrap=4, size=, aspect=)</code>	analyze a quantitative variable in 2 categorical dimensions at once



By Anokis
cheatography.com/anoikis/

Not published yet.
 Last updated 16th February, 2019.
 Page 1 of 2.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>