

Modification		Similarities on general list			Split and Join		
operation	Python	operation	Python	Q	operation	Python	Q
adding item	<code>l.append(3)</code>	length	<code>len(l)</code>	count	join	<code>" ,".join(l)</code>	<code>" ,".sv</code>
insert	<code>l.insert(i, 7)</code>	reverse	<code>list(reversed(l))</code> <code>l[::-1]</code>	reverse			
delete all	<code>l.clear()</code>	first part	<code>l[:2]</code>	2#1	split	<code>s.split(", - ")</code>	<code>vs</code>
pop	<code>l.pop()</code>	last part	<code>l[-2:]</code>	-2#1			
remove single	<code>l.remove(3)</code>	middle part	<code>l[1:3]</code>	1_3#1			
remove multiple	<code>[e for e in l1 if e not in l2]</code>		<code>l1: l1 except l2</code>				
delete by index	<code>del l[3]</code>	operations on list of numbers					
		operation	Python	Q			
		minumum	<code>min(l)</code>	<code>min l</code>			
		average	<code>statistics.mean(l)</code>	<code>avg l</code>			
		variance	<code>statistics.variance(l)</code>	<code>svar l</code>			
		cummulative sum	<code>list(itertools.accumulate(l, operation.add))</code>	<code>sums l</code>			
		cummulative prod	<code>list(itertools.accumulate(l, operation.mul))</code>	<code>prds l</code>			



By BodonFerenc

cheatography.com/bodonferenc/

Not published yet.

Last updated 11th September, 2018.

Page 1 of 1.

Sponsored by [Readable.com](https://readable.com)

Measure your website readability!

<https://readable.com>