

Plesk Panel		MySQL	
Error log	/var/log/sw-cp-server/error_log	Logs	/var/log/mysqld.log
Error log	/var/log/sw-cp-server/sw-engine.log	Stop	/etc/init.d/mysqld stop
Access log	/usr/local/psa/admin/logs/httpd_access_log	Start	etc/init.d/mysqld start
Panel log	/usr/local/psa/admin/logs/panel.log	Restart	/etc/init.d/mysqld restart
Stop Service	/etc/init.d/psa stop	Configuration	/etc/my.cnf
Start Service	/etc/init.d/psa start	Configuration	/etc/mysql/my.cnf
Restart Service	/etc/init.d/psa restart	Service name differs on different Linux distributives mysqld on CentOS/RHEL 5 and 6 mariadb on CentOS/RHEL 7 mysql on Debian/Ubuntu	
PHP configuration	/usr/local/psa/admin/conf/php.ini		
Panel configuration	/usr/local/psa/admin/conf/panel.ini		
Web server configuration	/etc/sw-cp-server/conf.d/plesk.conf		



By **danwiser**
cheatography.com/danwiser/

Not published yet.
 Last updated 7th June, 2016.
 Page 1 of 1.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>