

Truthy & Falsy

Is considered **false** Is considered **true**

false (boolean) **Everything else**

0 (integer)

0.0 & -0.0 (float)

" " (empty string) & " 0" (string zero)

[] (empty array)

null & unset variables

Operators

Operator Precedence

Comparison operators

Ternary operator **?:**

```
$var = expr1 ? expr2 : expr3;  if (expr1 = true) {
                                $var = expr2
                                else
                                $var = expr3
                                }
```

```
$var = expr1 ?: expr2;         $var = expr1 ? expr1 :
```

Null Coalescing Operator{/link}} **??**


```
$var = expr1 ?? expr2;         $var = isset( expr1 ) ? expr1 :
                                2
                                Note : isset($var) returns false when $var is not set or null
```

PHPMD, PHPSTAN snippets

```
PHPMD /**
Suppress * @Suppr ess War nin gs( PHP MD.L on gVa riable
Warnings )
Comment * @Suppr ess War nin gs( PHP MD.U nu sed Loc al
annota- v ari able)
tions on a */
class or a
method
```

match() expression

Serializer wording



Run a command

run a generic symfony command : `php bin/co nsole app:test`

run a command giving PHP more memory `php -d memory _li mit=2G bin/co nsole ...`

DB related commands

Make a migration	<code>php bin/console make:migration</code>
Migrate (apply migrations)	<code>php bin/console doctrine:migrations:migrate</code>
Apply only a specific migration (dry-run)	<code>php bin/console doctrine:migrations:execute --dry-run 20240502113013</code>
Apply only a specific migration	<code>php bin/console doctrine:migrations:execute 20240502113013</code>
Undo a specific migration	<code>php bin/console doctrine:migrations:execute --down 20240502113013</code>
Run a MySQL command	<code>php bin/console doctrine:query:sql "-SELECT * FROM table"</code>

The `$food = 'cake';`
match() `$return_value = match ($food) {`
expression `'apple' => 'This food is an apple',`
branches `'bar' => 'This food is a bar',`
evaluation `'cake' => 'This food is a cake',`
based on `};`
an identity
check of a
value.
Unlike
switch, it
will
evaluate to
a value
much like
ternary
expres-
sions.
Unlike
switch, **the**
comparison
is an
identity
check
(===)
rather than
a weak
equality
check (==).



By **Krejouché** (Krejouché)
cheatography.com/krejouché/

Not published yet.
Last updated 28th May, 2024.
Page 1 of 2.

Sponsored by **Readable.com**
Measure your website readability!
<https://readable.com>