

Fireplace		Buffers	
cqq	Open form under cursor.	ah	Go to previous buffer.
cqc	Open empty command line.	al	Go to next buffer
cpp	Eval innermost form.	aT	Create a new buffer.
cm	macroexpand-all form under cursor.	so	Kill current buffer.
c1m	macroexpand-1 form under cursor.	ob	List open buffers.
K	Look up symbol with doc.	CtrlP <C- x> Invoke CtrlP. <C- f> Next mode. <C- b> Previous mode. <C- d> Switch to filename mode. <C- r> Switch to regexp mode. <C- t> Open selection in new tab. <C- v> Open in new vertical split. <C- CR> Open in new horizontal split. > <C- n> Prompt history next.	
[d	Look up symbol with source.		
[<C -D>	Jump to definition.		
gf	Go to file for namespace.		
:Connect	Connect to nREPL server.		
:Doc	clojur e.r epl/doc		
:Eval	Eval a range.		
:%Eval	Eval entire file.		
:FindDoc	clojur e.r epl /fi nd-doc		
:lopen	Show last stack trace.		
:Require	Require :reload.		
:Require!	Require :reloa d-all.		
:RunTests	clojur e.t est /ru n-tests		
:Source	clojur e.r epl /source		



By **micha**
cheatography.com/micha/

Not published yet.
 Last updated 12th May, 2016.
 Page 1 of 1.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>