

### Available Models / Parameters

```
names(getModelInfo()) # available models
modelLookUp(model = 'gbm') # parameters
```

### Cross validation

```
fitControl <- trainControl(
  method = "cv",
  number = 3)
```

### Data preparation

```
# for xgboost
train_mm <- as.data.frame(model.matrix(
  log_SalePrice ~ .-1,
  data = subset(train, select = -c(SalePrice, Id)))
label_train <- train$log_SalePrice
```

### Parameter tuning

```
gbm.grid <- expand.grid(n.trees=c(2000, 5000),
  shrinkage = c(0.01, 0.005),
  n.minobsinnode = c(10, 50),
  interaction.depth = c(7, 10))
```

### Fit model

```
model_gbm <- train(x = train[,vars], y =
  train[, 'log_SalePrice'],
  method = 'gbm',
  trControl = fitControl,
  tuneGrid = gbm.grid)
```

### Model evaluation

```
print(model_gbm)
plot(model_gbm)
model_gbm$bestTune
model_gbm$results
varImp(object = model_gbm)
predict(model_gbm, test_data)
```



By **mitcht**  
[cheatography.com/mitcht/](http://cheatography.com/mitcht/)

Not published yet.  
 Last updated 20th February, 2018.  
 Page 1 of 1.

Sponsored by **CrosswordCheats.com**  
 Learn to solve cryptic crosswords!  
<http://crosswordcheats.com>